

FOUNDATION FOR INTELLIGENT PHYSICAL AGENTS

FIPA Agent Message Transport Service Specification

Document title	FIPA Agent Message Transport Service Specification		
Document number	XC00067D	Document source	FIPA Agent Management
Document status	Experimental	Date of this status	200 21 /08/10/18
Supersedes	FIPA00024		
Contact	fab@fipa.org		
Change history			
2000/07/21	Approved for Experimental		
2001/08/10	Line numbering added		
<u>2002/05/10</u>	<u>See ChangeLog</u>		

© 1996-2002 Foundation for Intelligent Physical Agents

~~http://www.fipa.org/~~

Geneva, Switzerland

Notice

Use of the technologies described in this specification may infringe patents, copyrights or other intellectual property rights of FIPA Members and non-members. Nothing in this specification should be construed as granting permission to use any of the technologies described. Anyone planning to make use of technology covered by the intellectual property rights of others should first obtain permission from the holder(s) of the rights. FIPA strongly encourages anyone implementing any part of this specification to determine first whether part(s) sought to be implemented are covered by the intellectual property of others, and, if so, to obtain appropriate licenses or other permission from the holder(s) of such intellectual property prior to implementation. This specification is subject to change without notice. Neither FIPA nor any of its Members accept any responsibility whatsoever for damages or liability, direct or consequential, which may result from the use of this specification.

21 Foreword

22 The Foundation for Intelligent Physical Agents (FIPA) is an international organization that is dedicated to promoting the
23 industry of intelligent agents by openly developing specifications supporting interoperability among agents and agent-
24 based applications. This occurs through open collaboration among its member organizations, which are companies
25 and universities that are active in the field of agents. FIPA makes the results of its activities available to all interested
26 parties and intends to contribute its results to the appropriate formal standards bodies [where appropriate](#).

27 The members of FIPA are individually and collectively committed to open competition in the development of agent-
28 based applications, services and equipment. Membership in FIPA is open to any corporation and individual firm,
29 partnership, governmental body or international organization without restriction. In particular, members are not bound
30 to implement or use specific agent-based standards, recommendations and FIPA specifications by virtue of their
31 participation in FIPA.

32 The FIPA specifications are developed through direct involvement of the FIPA membership. The status of a
33 specification can be either Preliminary, Experimental, Standard, Deprecated or Obsolete. More detail about the
34 process of specification may be found in the FIPA [Document Policy \[f-out-00000\]](#) and the FIPA [Specifications Policy \[f-
35 out-00003\]Procedures for Technical Work](#). A complete overview of the FIPA specifications and their current status may
36 be found ~~in the FIPA List of Specifications. A list of terms and abbreviations used in the FIPA specifications may be~~
37 ~~found in the FIPA Glossary~~[on the FIPA Web site](#).

38 FIPA is a non-profit association registered in Geneva, Switzerland. As of ~~June~~ [January 20020](#), the 56 members of FIPA
39 represented ~~many~~⁴⁷ countries worldwide. Further information about FIPA as an organization, membership information,
40 FIPA specifications and upcoming meetings may be found [on the FIPA Web site](#) at <http://www.fipa.org/>.

41 Contents

42	1	Scope	143
43	2	Agent Message Transport Reference Model	223
44	2.1	Reference Model	223
45	2.2	Message Structure	223
46	3	Message Transport Service	3
47	3.1	Message Envelope	3
48	3.1.1	Updating Message Envelope Information	3
49	3.1.2	Additional Message Envelope Parameters	3
50	3.2	Agent Identifiers and Transport Addresses	3
51	3.3	Agent Communication Channel	43
52	3.3.1	Standard Interfaces	443
53	3.3.2	Proprietary Interfaces	443
54	3.3.3	Message Handling Behaviour	443
55	3.3.4	Message Envelope Interpretation	443
56	3.3.5	Forwarding Messages	543
57	3.3.6	Handling a Single Receiver	553
58	3.3.7	Handling Multiple Transport Addresses for a Single Receiver	553
59	3.3.8	Handling Multiple Receivers	653
60	3.3.9	Delivering Messages	663
61	3.3.10	Using a Name Resolution Services	663
62	3.3.11	Error and Confirmation Messages	663
63	3.4	Using the Message Transport Service	763
64	3.4.1	Sending Messages	763
65	3.4.2	Receiving Messages	773
66	3.5	Querying Message Transport Service Polices and Capabilities	773
67	3.5.1	Agent Platform Transport Descriptions	873
68	3.5.2	Minimal Transport Requirements for Interoperability	883
69	4	Agent Message Transport Ontology	993
70	4.1	Object Descriptions	993
71	4.1.1	Message Envelope Description	993
72	4.1.2	Received Object Description	10403
73	4.1.3	Agent Platform Transport Description	10403
74	4.1.4	Message Transport Protocol Description	10403
75	5	References	12413
76			

76 **1 Scope**

77 This document is part of the FIPA specifications and deals with message transportation between inter-operating
78 agents. This document also forms part of the FIPA Agent Management specification (see [FIPA00023]) and contains
79 specifications for agent message transport, including:

- 80
- 81 • A reference model for an agent Message Transport Service, and,
- 82
- 83 • Definitions for the expression of message transport information to an agent Message Transport Service.

84

85

2 Agent Message Transport Reference Model

2.1 Reference Model

The reference model for agent message transport comprises three levels (see Figure 1):

1. The Message Transport Protocol (MTP) is used to carry out the physical transfer of messages between two ACCs.
2. The Message Transport Service (MTS) is a service provided by the AP to which an agent is attached. The MTS supports the transportation of FIPA ACL messages between agents on any given AP and between agents on different APs.
3. The ACL represents the ~~content~~payload of the messages carried by both the MTS and MTP.




Figure 1: Message Transport Reference Model

97
98
99
100

2.2 Message Structure

In its abstract form, a message is made up of two parts: a message envelope expressing transport information and a message ~~body~~payload comprising the ACL message of the agent communication.

For the purposes of message interpretation by an agent:

- ACL semantics are defined only over the ACL message delivered in the message ~~body~~payload of a FIPA-message (see [FIPA00023]).
- All information in the message envelope is supporting information only. How and if this information is used to by an agent for any kind of additional inference is undefined by FIPA. However, under some circumstances, an agent might be required to process the envelope information in order to properly interpret the received message payload; for instance when the payload has been encrypted or in order to discover the acl-representation used by the sender.

110
111
112
113
114
115
116

3 Message Transport Service

The MTS provides a mechanism for the transfer of ACL messages between agents. The agents involved may be local to a single AP or on different APs. On any given AP, the MTS is provided by an Agent Communication Channel (ACC).

3.1 Message Envelope

Any MTP may use a different internal representation to describe a message envelope, but must express the same terms, represent the same semantics and perform the corresponding actions.

The following are general statements about the form of a message envelope:

- A message envelope comprises a collection of parameters.
- A parameter is a name/value pair.
- A message envelope contains at least the mandatory `→to`, `→from`, `→date` and `→acl-representation` parameters.
- A message envelope can contain optional parameters.

Each ACC handling a message may add new information to the message envelope, but it may never overwrite existing information. ACCs can add new parameters to a message envelope which override existing parameters that have the same parameter name; the mechanism for disambiguating message envelope entries is specified by each concrete message envelope syntax.

3.1.1 Updating Message Envelope Information

To update a value in one of the envelope parameters, the ACC must add a new copy of the message envelope parameter (containing the new value) to the envelope.

Since this mechanism permits multiple occurrences of the same parameters in a message envelope (with different values), each concrete message envelope syntax must provide a general mechanism for identifying which copy of the parameter is current. ~~For example, the concrete envelope syntax given in [FIPA00073] specifies that the first occurrence of a parameter overrides any subsequent occurrence.~~

3.1.2 Additional Message Envelope Parameters

~~Any concrete syntax definition for the message envelope must include a clear mechanism for adding and distinguishing new and user defined parameters added to the message envelope. For example, the concrete envelope syntax given in [FIPA00073] specifies that all new and user defined parameters must be prefixed by "X-".~~
Additional parameters not defined in this document can be added to the envelope as well as to all the frames defined in this specification. The prefatory string "X-" must be used for the names of these non-FIPA standard additional parameters and implementations are free to ignore such additional parameters.

3.2 Agent Identifiers and Transport Addresses

Agent Identifiers (AIDs) and transport addresses are defined in [FIPA00023].

3.3 Agent Communication Channel

The ACC is an entity providing a service directly to the agents on an AP. The ACC may access information provided by the other AP services (such as the AMS and DF) to carry out its message transport tasks.

3.3.1 Standard Interfaces

~~The standard MTP interfaces of an ACC are used to provide message transport interoperability between FIPA-compliant APs. To be FIPA-compliant, an ACC must have at least one such interface which supports a FIPA MTP. Furthermore, the ACC must support the FIPA baseline MTP for its AP description and may also provide other standard MTP interfaces (see section 3.5.2, Minimal Transport Requirements for Interoperability).~~

When messages are received over a message interface advertised as implementing one of the FIPA standard MTPs, these messages must be handled as specified in section 3.3.3, *Message Handling Behaviour*.

3.3.2 Proprietary Interfaces

FIPA does not specify how agents communicate using proprietary interfaces with the MTS.

3.3.3 Message Handling Behaviour

To provide the MTS, an ACC must transfer the messages it receives in accordance with the transport instructions contained in the message envelope. An ACC is only required to read the message envelope; it is not required to parse the message **bodypayload**. In performing message transfer tasks, the ACC may be required to obtain information from the AMS or DF on its own AP. Some implementations of ACCs may provide some form of buffering capability to help agents manage their messages.

3.3.4 Message Envelope Interpretation

The message forwarding behaviour of an ACC is determined by the instructions for message delivery that are expressed in the message envelope (see *Table 1*).

Parameter	Description
to	If no + intended-receiver parameter is present, then the information in this parameter is used to generate + intended-receiver field for the messages the ACC subsequently forwards.
from	If required, the ACC returns error and confirmation messages to the agent specified in this parameter.
comments	None.
acl-representation	None. This information is intended for the final recipient of the message.
payload-length	The ACC may use this information to improve parsing efficiency.
payload-encoding	None. This information is intended for the final recipient of the message.
date	None. This information is intended for the final recipient of the message.
encrypted	None. This information is intended for the final recipient of the message.
intended-receiver	An ACC uses this parameter to determine where this instance of a message should be sent. If this parameter is not provided, then the first ACC to receive the message should generate an + intended-receiver parameter using the + to parameter.
received	A new + received parameter is added to the envelope by each ACC that the message passes through. Each ACC handling a message must add a completed received parameter. If an ACC receives a message it has already stamped, it is free to discard the message without any need to generate an error message.

transport-behaviour	If present, the handling ACC must deliver the message according to the transport requirements specified in this parameter. If these requirements cannot be met or understood, then the ACC raises an error (see section 3.3.11, Error and Confirmation Messages)Reserved for future use.
---------------------	--

189
190
191
Table 1: Agent Communication Channel Interpretation of Message Envelope

192 **3.3.5 Forwarding Messages**

193 The recipients of a message are specified in the `+to` parameter of a message envelope and take the form of AIDs.
194 Depending upon the presence of `+intended-receiver` parameters, the ACC forwards the message in one of the
195 following ways:

- 196
- 197 • If an ACC receives a message envelope without an `+intended-receiver`, then it generates a new
198 `+intended-receiver` parameter from the `+to` parameter (possibly containing multiple AIDs). It may also
199 generate multiple copies of the message with different `+intended-receiver` parameters if multiple receivers
200 are specified. In all cases, the ACC is required to process all entries in the `to` field parameter and enforced not to
201 add and not to remove any AID that was contained in the original message. The `+intended-receiver`
202 parameters form a delivery path showing the route that a message has taken.
 - 203
 - 204 • If an ACC receives a message envelope with an `+intended-receiver` parameter, this is used for delivery of
205 this instance of the message and the `+to` parameter is ignored.
 - 206
 - 207 • If an ACC receives a message envelope with more than one `+intended-receiver` parameter, the most recent
208 is used.
 - 209

210 Before forwarding the message, the ACC adds a completed `+received` parameter to the message envelope. Once
211 an ACC has forwarded a message it no longer needs to keep any record of the existence of that message.
212

213 **3.3.6 Handling a Single Receiver**

214 In delivering a message to a single receiver specified in the `+to` or `+intended-Receiver-receiver` parameters of
215 a message envelope, the ACC forwards the message to one of the addresses in the `+addresses` parameter of the
216 AID. If this address leads to another ACC, then it is the task of the receiving ACC to deliver the message to the
217 receiving agent (if the agent is resident on the local AP) or to forward it on to another ACC (if the agent is not locally
218 resident).
219

220 **3.3.7 Handling Multiple Transport Addresses for a Single Receiver**

221 The AID given in the `+to` or `+intended-receiver` parameter (in the case of both parameters being present, the
222 information in the `+intended-receiver` parameter is used) of an message envelope may contain multiple transport
223 addresses for a single receiving agent. The ACC uses the following method to try to deliver the message:

- 224
- 225 • Try to deliver the message to the *first* transport address in the `+addresses` parameter; the first is chosen to reflect
226 the fact that the transport address list in an AID is ordered by preference.
 - 227
 - 228 • If this fails, because the agent or AP was not available or because the ACC does not support the appropriate
229 message transport protocol, etc., then the ACC creates a new `+intended-receiver` parameter containing the
230 AID with the failed transport address removed. The ACC then attempts to send the message to the next transport
231 address in AID in the intended receiver list (now the first in the newly created `+intended-receiver` parameter).
232
 - 233 • If delivery is still unsuccessful when all transport addresses have been tried (or the AID contained no transport
234 addresses), the ACC may try to resolve the AID using the name resolution services listed in the `+resolvers`
235 parameter of the AID. Again, the name resolution services should be tried in the order of their appearance.
236

237 Finally, if all previous message delivery attempts have failed, then an appropriate error message for the final failure is
 238 passed back to the sending agent (see section 3.3.11, *Error and Confirmation Messages*).
 239

240 3.3.8 Handling Multiple Receivers

241 An ACC uses the following rules in delivering messages to multiple intended receivers¹:

- 242
- 243 • If an ACC receives a message envelope with no `+intended-receiver` parameter and a `+to` parameter
 244 containing more than one AID, it may or may not split these up to form separate messages². Each message would
 245 contain a subset of the agents named in the `+to` and `+intended-receiver` parameters.
- 246
- 247 • If an ACC receives a message envelope with an `+intended-receiver` parameter containing more than one
 248 AID, it may or may not split these up to form separate messages.
- 249
- 250 • If an ACC splits a message as described above, then it is enforced not to add and not to remove any AID that was
 251 contained in the original message
- 252

253 The resulting messages are handled as in the single receiver case (see section 3.3.6, *Handling a Single Receiver*).
 254

255 3.3.9 Delivering Messages

256 Once a message has arrived at ACC which can directly deliver it to the agent or agents named in the `+intended-`
 257 `receiver` parameter of the message envelope, this ACC should pass the message to the agents concerned. This
 258 specification does not specify how final message delivery is performed; the message may be passed to the agents
 259 using any of the ACC proprietary or standard MTP interfaces. An ACC should deliver the whole message, including the
 260 message envelope, to the receiving agent. However, particular AP implementations may provide middleware layers to
 261 free agents from the task of processing the envelope.

262 If an ACC receives a message it has already stamped, it is free to discard the message without any need to generate
 263 an error message.
 264

265 3.3.10 Using a Name Resolution Services

266 In certain circumstances, if an AID for a receiver contains no transport addresses then the ACC may try to resolve the
 267 AID by contacting one of the entities listed in the `+resolvers` parameter of the AID, as specified in [FIPA00023]. The
 268 interface used by the ACC to do this is not specified by FIPA.
 269

270 3.3.11 Error and Confirmation Messages

271 Error and confirmation messages sent to a *sending agent* by the MTS are in the form of ACL messages over the MTS.
 272 These MTS information messages are sent on behalf of the AMS agent responsible (the `+sender` parameter of the
 273 message must be set the local AMS's AID) of the ACC's AP. How the message is generated (whether by the AMS or
 274 by the ACC on behalf of the AMS) is not specified by FIPA.

275

276 If an error message needs to be returned, the message generated must follow the exception model defined in
 277 [FIPA00023] such that:

- 278
- 279 • The communicative act is a *failure*,
- 280
- 281 • The failed action is the ACL message that was not delivered properly.
- 282 •
- 283 • The predicate symbol is `internal-error`, and,

¹ An ACC may decide to optimise the delivery of messages where a given message is intended for multiple receivers that reside on the same host. However, whether an ACC decides to make this optimisation or not, the semantics of message delivery within an ACC must remain the same. This is so that optimised ACCs and non-optimised ACCs can inter-operate.

² Not splitting up messages may be more efficient when several copies would be delivered to the same address.

284
285
286
287
288
289
290

- The argument parameter is a string describing the error which occurred (the form and content of which is ~~not defined here~~implementation-dependent and can be ignored by implementations).
- This generated failure ACL message must include the same conversation-id value as the message that was not delivered and must contain the expression in the reply-with field - of the message that was not delivered - in its in-reply-to parameter.

3.4 Using the Message Transport Service

3.4.1 Sending Messages

An agent has three options when sending a message to another agent resident on a remote AP (see Figure 2):

1. Agent A sends the message to its local ACC using a proprietary or standard interface. The ACC then takes care of sending the message to the correct remote ACC using a suitable MTP. The remote ACC ~~which~~ will eventually deliver the message.
2. Agent A sends the message directly to the ACC on the remote AP on which Agent B resides. This remote ACC then delivers the message to B. To use this method, Agent A must support access to one of the remote ACC's MTP interfaces.
3. Agent A sends the message directly to Agent B, by using a direct communication mechanism. The message transfer, addressing, buffering of messages and any error messages must be handled by the sending and receiving agents. This communication mode is not covered by FIPA.

307
308
309
310




Figure 2: Three Methods of Communication between Agents on Different Agent Platforms³

3.4.2 Receiving Messages

An agent receives an entire message including both the message envelope and message ~~body~~payload. Consequently, the receiving agent has access to all of the message transport information expressed in the message envelope, such as encryption details, ACL representation information, the delivery path of the message, etc.

3.5 Querying Message Transport Service Polices and Capabilities

An AP must support queries about its message transport policies and capabilities. Information pertinent to the MTS (such as the particular MTPs supported by an ACC) is given in the ~~transport-profile parameter of the~~ AP description, that (see [FIPA00023]). An AP description can be accessed by sending a get-description request to an AMS- (see [FIPA00023]).

321

³ A fourth possibility (not illustrated) is that instead of completing the last two stages of the first path, the ACC on the first platform contacts Agent B directly – this depends upon the address that the ACC is delivering to.

3.5.1 Agent Platform Transport Descriptions

The transport description forms part of an AP and is expressed in FIPA-SL0. The following transport description is for an AP which supports IOP, and HTTP and WAP-based transports:

```

325 (ap-description
326 :name myAPDescription
327 :ap-services
328 (set
329 (AP-Service
330 :name myIIOPMTP
331 :type fipa.mts.mtp.iiop.std
332 :addresses
333 (sequence
334 corbaloc:iiop:agents.fipa.org:10100/acc
335 IOR:00000000002233
336 corbaname::agents.fipa.org:10000/nameserver#acc))
337 (AP-Service
338 :name myHTTPMTP
339 :type fipa.mts.mtp.http.std
340 :addresses
341 (sequence
342 http://agents.fipa.org:8080/acc))
343 )
344
345
346
347 (ap-transport-description
348 :available mtps
349 (set
350 (mtp-description
351 :mtp name fipa.mts.mtp.iiop.std
352 :addresses (sequence iiop://foo.com/acc))
353 (mtp-description
354 :mtp name fipa.mts.mtp.wap.std
355 :addresses (sequence http://foo.com/acc http://bar.com/acc))))
356

```

For more information on how to generate a concrete representation of a transport description, see [FIPA00061] and [FIPA00008].

3.5.2 Minimal Transport Requirements for Interoperability

~~To promote interoperability, FIPA mandates certain minimum transport capabilities for APs. The minimal transport requirements for interoperability are classified by type of network environment an AP has access to and are grouped into named interoperability transport profiles (see [FIPA00077] and [FIPA00078]). Each named transport profile defined here has a name⁴, a description and a single baseline MTP.~~

⁴ Note that there is no ordering intended on the profiles defined in this section.

366 4 Agent Message Transport Ontology

367 4.1 Object Descriptions

368 This section describes a set of frames, that represent the classes of objects in the domain of discourse within the
 369 framework of the FIPA-Agent-Management ontology. [The closure of symbols of this ontology can be obtained](#)
 370 [through the companion document \[FIPA00023\] that specifies additional set of frames of this ontology.](#)

371
 372
 373 The following terms are used to describe the objects of the domain:

- 375 • **Frame.** This is the mandatory name of this entity, that must be used to represent each instance of this class.
- 376
- 377 • **Ontology.** This is the name of the ontology, whose domain of discourse includes the parameters described in the
 378 table.
- 379
- 380 • **Parameter.** This is the mandatory name of a parameter of this frame.
- 381
- 382 • **Description.** This is a natural language description of the semantics of each parameter.
- 383
- 384 • **Presence.** This indicates whether each parameter is mandatory or optional.
- 385
- 386 • **Type.** This is the type of the values of the parameter: Integer, Word, String, URL, Term, Set or Sequence.
- 387
- 388 • **Reserved Values.** This is a list of FIPA-defined constants that can assume values for this parameter.
- 389

390 4.1.1 Message Envelope Description

Frame Ontology	envelope FIPA-Agent-Management	Parameter	Description	Presence	Type	Reserved Values
to	This contains the names of the primary recipients of the message.	Mandatory	Sequence of agent-identifier			
from	This is the name of the agent who actually sent the message.	Mandatory	agent-identifier			
comments	This is a comment in the message envelope.	Optional	String			
acl-representation	This is the name of the syntax representation of the message bodypayload .	Mandatory	String		fipa.acl.rep.bitefficient.std fipa.acl.rep.string.std fipa.acl.rep.xml.std	
payload-length	This contains the length in bytes of the message bodypayload .	Optional	String			
payload-encoding	This contains the language encoding of the message bodypayload	Optional ⁵	String		US-ASCII ISO-8859-1 ... ISO-8859-9 UTF-8 Shift_JIS EUC-JP ISO-2022-JP ISO-2022-JP-2	

⁵ If this field is not present, the default value US-ASCII is assumed for the content encoding.

date	This contains the creation date and time of the message envelope – added by the sending agent.	Mandatory	Date	
encrypted	This contains information indicating how the message body has been encrypted.	Optional	Sequence of String	See [RFG822]
intended-receiver	This is the name of the agents to whom this instance of a message is to be delivered.	Optional	Sequence of agent-identifier	
received	This is a stamp representing the receipt of a message by an ACC.	Optional	received-object	
transport-behaviour	This contains the transport requirements of the message. Reserved for future use	Optional	(Undefined)	

391

392 **4.1.2 Received Object Description**

Frame Ontology	received-object FIPA-Agent-Management			
Parameter	Description	Presence	Type	Reserved Values
by	The URL representing the transport address of the receiving ACC.	Mandatory	URL	
from	The URL representing the transport address of the sending ACC.	Optional	URL	
date	The date when a message was received.	Mandatory	Date	
id	The unique identifier of a message. It is required that uniqueness be guaranteed within the scope of the sending ACC only.	Optional	String	
via	The type of MTP the message was delivered over.	Optional	String	fipa.mts.mtp.iiop.st d fipa.mts.mtp.http.s td

393

394 **4.1.3 Agent Platform Transport Description**

Frame Ontology	ap-transport-description FIPA-Agent-Management			
Parameter	Description	Presence	Type	Reserved Values
available-mtps	A list of MTPs supported by the AP.	Optional	Set of mtp- description	

395

396 **4.1.4 Message Transport Protocol Description**

Frame Ontology	mtp-description FIPA-Agent-Management			
Parameter	Description	Presence	Type	Reserved Values
profile	The name of the FIPA transport profile.	Optional	String	See section 3.5.2.
mtp-name	The FIPA name of the MTP being supported	Optional	String	
addresses	A list of the transport addresses of this MTP.	Mandatory	Sequence of URL	

397
398
399

|

399

5 References

- 400 [FIPA00007] FIPA Content Languages Specification. Foundation for Intelligent Physical Agents, 2000.
401 <http://www.fipa.org/specs/fipa00007/>
- 402 [FIPA00008] FIPA SL Content Language Specification. Foundation for Intelligent Physical Agents, 2000.
403 <http://www.fipa.org/specs/fipa00008/>
- 404 [FIPA00014] FIPA Nomadic Application Support Specification. Foundation for Intelligent Physical Agents, 2000.
405 <http://www.fipa.org/specs/fipa00014/>
- 406 [FIPA00023] FIPA Agent Management Specification. Foundation for Intelligent Physical Agents, 2000.
407 <http://www.fipa.org/specs/fipa00023/>
- 408 [FIPA00061] FIPA Agent Communication Language Specification. Foundation for Intelligent Physical Agents, 2000.
409 <http://www.fipa.org/specs/fipa00061/>
- 410 ~~[FIPA00073] FIPA Agent Message Transport Envelope Representation in String Specification. Foundation for~~
411 ~~Intelligent Physical Agents, 2000.~~
412 ~~<http://www.fipa.org/specs/fipa00073/>~~
- 413 [ISO8601] Date Elements and Interchange Formats, Information Interchange-Representation of Dates and
414 Times. International Standards Organisation, 1998.
415 <http://www.iso.ch/cate/d15903.html>
- 416 [RFC822] Uniform Resource Identifiers: Generic Syntax. Request for Comments, 1992.
417 <http://www.ietf.org/rfc/rfc0822.txt>
- 418 [RFC2396] Standard for the Format of APRA Internet Text Messages. Request for Comments, 1998.
419 <http://www.ietf.org/rfc/rfc2396.txt>

420 **6 Informative Annex A — ChangeLog**

421 **6.1 2001/10/03 - version E by FIPA Architecture Board**

422 Page 8, lines 315-319: Removed section 3.5.2 which included references to obsolete specifications FIPA00077 and
 423 FIPA00078.

424 **6.2 2002/05/10 - version F by FIPA X2S**

425 All document: Replaced all references to 'message body' and 'message content' with 'message payload'
 426 All document: Removed the prefix symbol ':' from all the parameter names
 427 All document: Removed reference to [FIPA00073] and to WAP specifications
 428 All document : Removed the encrypted field
 429 Page 2, line 95: Replaced the figure
 430 Page 2, line 108-111: Added a sentence to clarify that agents might need processing of the envelope
 431 Page 3, line 147-152 : Replaced the sentence with a less ambiguous one.
 432 Page 4, line 164-168 : Deleted
 433 Page 4, line 185 : `transport-behaviour` parameter reserved for future use
 434 Page 4, line 186 : Added a sentence about possibility for an ACC to discard a message.
 435 Page 4, line 197-198 : Added sentence to reinforce a requirement of ACC
 436 Page 6, line 247-248 : Added sentence to reinforce a requirement of ACC
 437 Page 6, line 259-260 : Added a sentence about possibility for an ACC to discard a message
 438 Page 6, line 262-263 : Deleted sentence.
 439 Page 6, line 276-285 : Added clarification on the generation of failure message for non-delivered messages
 440 Page 6, line 278-279 : Clarified that implementation can ignore arguments of `internal-error`
 441 Page 7, line 316-350 : Modified the example according to the new definition of `ap-description`
 442 Page 9, line 366-367 : Added a note that references [FIPA00023] for the closure of `fipa-agent-management`
 443 `ontology`
 444 Page 9, line 383 : Added reserved values for `acl-representation`.
 445 Relaxed the requirement that the parameter `date` had to be added by the sending agent.
 446 Page 10, line 385 : Added requirement for sending ACC to generate unique `id`.
 447 Added reserved values for `via` parameter.
 448 Page 10, line 387-391 : Removed definitions of `ap-transport-description` and `mtp-description` made
 449 obsolete by the new definition of `ap-description` in [FIPA00023]

450
 451
 452