

FOUNDATION FOR INTELLIGENT PHYSICAL AGENTS

FIPA Device Ontology Specification

Document title	FIPA Device Ontology Specification		
Document number	PC00091B	Document source	FIPA Gateways TC
Document status	Preliminary	Date of this status	2001/08/10
Supersedes	None		
Contact	gateways@fipa.org		
Change history			
2001/03/23	Initial version		
2001/04/09	Frames updated based on comments in from London, April 2001 FIPA meeting		
2001/08/10	Line numbering added		

© 2001 Foundation for Intelligent Physical Agents - <http://www.fipa.org/>

Geneva, Switzerland

Notice

Use of the technologies described in this specification may infringe patents, copyrights or other intellectual property rights of FIPA Members and non-members. Nothing in this specification should be construed as granting permission to use any of the technologies described. Anyone planning to make use of technology covered by the intellectual property rights of others should first obtain permission from the holder(s) of the rights. FIPA strongly encourages anyone implementing any part of this specification to determine first whether part(s) sought to be implemented are covered by the intellectual property of others, and, if so, to obtain appropriate licenses or other permission from the holder(s) of such intellectual property prior to implementation. This specification is subject to change without notice. Neither FIPA nor any of its Members accept any responsibility whatsoever for damages or liability, direct or consequential, which may result from the use of this specification.

18 **Foreword**

19 The Foundation for Intelligent Physical Agents (FIPA) is an international organization that is dedicated to promoting the
20 industry of intelligent agents by openly developing specifications supporting interoperability among agents and agent-
21 based applications. This occurs through open collaboration among its member organizations, which are companies and
22 universities that are active in the field of agents. FIPA makes the results of its activities available to all interested parties
23 and intends to contribute its results to the appropriate formal standards bodies.

24 The members of FIPA are individually and collectively committed to open competition in the development of agent-
25 based applications, services and equipment. Membership in FIPA is open to any corporation and individual firm,
26 partnership, governmental body or international organization without restriction. In particular, members are not bound to
27 implement or use specific agent-based standards, recommendations and FIPA specifications by virtue of their
28 participation in FIPA.

29 The FIPA specifications are developed through direct involvement of the FIPA membership. The status of a
30 specification can be either Preliminary, Experimental, Standard, Deprecated or Obsolete. More detail about the process
31 of specification may be found in the FIPA Procedures for Technical Work. A complete overview of the FIPA
32 specifications and their current status may be found in the FIPA List of Specifications. A list of terms and abbreviations
33 used in the FIPA specifications may be found in the FIPA Glossary.

34 FIPA is a non-profit association registered in Geneva, Switzerland. As of January 2000, the 56 members of FIPA
35 represented 17 countries worldwide. Further information about FIPA as an organization, membership information, FIPA
36 specifications and upcoming meetings may be found at <http://www.fipa.org/>.

37 **Contents**

38 1 Scope 1
39 2 Overview 2
40 3 Device Ontology 3
41 3.1 Object Descriptions 3
42 3.1.1 Relationships Between Frames 4
43 3.1.2 Device Description 5
44 3.1.3 Product Info Description 5
45 3.1.4 Hardware Description 6
46 3.1.5 Connection Type Description 6
47 3.1.6 User Interface Description 7
48 3.1.7 Screen Description 7
49 3.1.8 Resolution Description 8
50 3.1.9 Memory Description 8
51 3.1.10 Memory Type Description 8
52 3.1.11 Software Properties Description 9
53 4 References 10
54 5 Informative Annex A — Profile of a Hypothetical Smart Phone 11
55 5.1 Profile Description 11
56 5.1.1 SmartPhone xyz 12
57 6 Informative Annex B — Examples 14
58 6.1 Content Adaptation I 14
59 6.2 Content Adaptation II 18
60 6.3 Content Adaptation III 19
61 6.4 Service Advertisement and Software Updates 19
62 7 Informative Annex C — Usage of FIPA Device Ontology through CC/PP 20
63

63 **1 Scope**

64 This document is part of the FIPA specifications and deals with device ontology. This document contains specifications
65 for properties of devices. Additionally, the document provides an example to illustrate the usage of the ontology via a
66 profile of a hypothetical smartphone, an example of using the ontology through CC/PP, and other informative examples.

67

67 **2 Overview**

68 The capabilities of different devices are best expressed using some ontology, against which the profiles of those
69 devices are validated. This document contains specifications for a device ontology.

70

71 Provided that two devices D1 and D2 have a connection, they may exchange device profiles (either directly or through
72 a brokering agency) and acquire a list of services provided by the other device. The list of services may include both
73 hardware and software services, for example: a software component that provides access to a hardware component of
74 the device (such as microphone, headset or GPS service). The profile needs to support the identification of services for
75 various input and output capabilities, such as audio input and output. An informative example of a profile for a
76 hypothetical device is given in Annex A.

77

78 The `Fipa-Device` ontology can be used by agents when communicating about devices. Agents pass profiles of
79 devices to each other and validate them against the `Fipa-Device` ontology. The profiles come in handy for example in
80 a situation where memory- or processing-intensive actions take place; agent A1 can ask agent A2 whether device D
81 has enough capabilities to handle some task A1 has in mind. Annex B gives a set of informative examples showing how
82 profiles based on `Fipa-Device` ontology can be exploited.

83

84 Related work is done both in W3C [CC/PP] and WAP Forum [UAPProf]. There is an overlap between the definitions
85 found in those documents and this specification. However, direct references to those specifications are not used here.
86 That is because, unlike the ontology presented in this specification, they rely on specific frameworks and languages,
87 namely RDF and XML. Annex C gives an informative example on how to use the `Fipa-Device` ontology via CC/PP
88 descriptions.

89

90

90 3 Device Ontology

91 3.1 Object Descriptions

92 This section describes a set of frames that represent the classes of objects in the domain of discourse within the
93 framework of the `Fipa-Device` ontology.

94
95 The following terms are used to describe the objects of the domain:

96 **Frame.** This is the mandatory name of this entity that must be used to represent each instance of this class.

97
98 **Ontology.** This is the name of the ontology, whose domain of discourse includes the parameters described in the
99 table.

100
101 **Parameter.** This is the mandatory name of a parameter of this frame.

102
103 **Description.** This is a natural language description of the semantics of each parameter.

104
105 **Presence.** This indicates whether each parameter is mandatory or optional.

106
107 **Type.** This is the type of the values of the parameter: Integer, Word, String, URL, Term, Set or Sequence.


108
109 **Reserved Values.** This is a list of FIPA-defined constants that can assume values for this parameter.

110
111

111 **3.1.1 Relationships Between Frames**

112 *Figure 1 depicts the frames used in this ontology with associations among them.*

113



114

115

Figure 1: Relationships Between Frames in FIPA-Device Ontology

115 **3.1.2 Device Description**

116 This type of object represents the description that can be used to define the device with its most general properties.

117

Parameter	Description	Presence	Type	Reserved Values
info	General information for the device.	Mandatory	info-description	
type	The type(s) of the device. General type(s) of devices like 3G phones, PDA's etc. To be used as a sequence from general to more specific types.	Optional	Sequence of String	
agent-compliance	Capability to host a FIPA-agent platform or participate in a distributed one.	Optional	Boolean	true false
hw-properties	List of properties describing the hardware features of the device in question.	Optional	hw-description	
sw-properties	List of properties describing the software features of the device in question.	Optional	sw-description	

118

119 **3.1.3 Product Info Description**

120 This type of object represents the description that can be used to define the name, vendor and version of some product.

121

Parameter	Description	Presence ¹	Type	Reserved Values
name	The name of the product in question.	Optional	String	
vendor	The vendor of the product in question.	Optional	String	
version	The version of the product in question.	Optional	String	

122

123

¹ While all of these parameters are optional, a valid `info-description` object will contain at least one parameter.

123 **3.1.4 Hardware Description**

124 This type of object represents the description that can be used to define the hardware capabilities of a given device.

125

Frame Ontology	hw-description Fipa-Device			
Parameter	Description	Presence²	Type	Reserved Values
connection	The type of the connection the device uses.	Optional	Set of connection-description	
ui	List of the user interfaces that the device offers.	Optional	Set of ui-description	
memory	The amount of memory that the device has.	Optional	Set of memory-description	
cpu	The type of the central processing unit that the device has.	Optional	Set of String	

126

127 **3.1.5 Connection Type Description**

128 This type of object represents the description that can be used to define the connection-related details of a given device.

129

130

Frame Ontology	connection-description Fipa-Device			
Parameter	Description	Presence³	Type	Reserved Values
information	General information for the connection.	Optional	info-description	
qos-information	Detailed information about the Quality of Service of this connection type	Optional	qos ⁴	

131

132

² While all of these parameters are optional, a valid `hw-properties` object will contain at least one parameter.

³ While all of these parameters are optional, a valid `connection-description` object will contain at least one parameter.

⁴ The frame for `qos` is found in [FIPA00014].

132 **3.1.6 User Interface Description**

133 This type of object represents the description that can be used to define the user interface(s) of a given device.

134

Parameter	Description	Presence ⁵	Type	Reserved Values
screen	Information characterizing the screen of the device.	Optional	screen-description	
audio-input	Specifies whether the device in question is capable of receiving audio input.	Optional	Boolean	true false
audio-output	Specifies whether the device in question is capable of producing audio output.	Optional	Boolean	true false

135

136 **3.1.7 Screen Description**

137 This type of object represents the description that can be used to define the screen of a given device.

138

Parameter	Description	Presence ⁶	Type	Reserved Values
width	The width of the screen. This value must be positive.	Optional	Integer	
height	The height of the screen. This value must be positive.	Optional	Integer	
unit	The unit for the width and height parameters of this frame.	Optional	String	mm cm inch ⁷
resolution	The resolution description for the screen.	Optional	Set of resolution-description	
color	Has the value true if the device has a color screen; false if it has a monochrome screen.	Optional	Boolean	true false

139

140

⁵ While all of these parameters are optional, a valid `ui-description` object will contain at least one parameter.

⁶ While all of these parameters are optional, a valid `user-interface` object will contain at least one parameter.

⁷ 1mm = 0,1cm. 1mm = .03937inch. 1cm = 10mm. 1cm = . 3937inch. 1inch = 25.4mm. 1inch = 2.54cm.

140 **3.1.8 Resolution Description**

141 This type of object represents the description that can be used to define the resolution-details of a given display.

142

Frame Ontology	resolution-description Fipa-Device			
Parameter	Description	Presence⁸	Type	Reserved Values
width	Number of resolution units horizontally. This value must be positive.	Optional	Integer	
height	Number of resolution units vertically. This value must be positive.	Optional	Integer	
unit	The unit for the resolution.	Optional	String	pixels characters
bpp	Bits per pixel.	Optional	Integer	
graphics	Has the value <code>true</code> if the device is capable of displaying graphics; <code>false</code> if the device is capable of displaying only characters.	Optional	Boolean	true false

143

144 **3.1.9 Memory Description**

145 This type of object represents the description that can be used to define the maximum memory of a given device, as well as the memory available at the time of query.

146

147

Frame Ontology	memory-description Fipa-Device			
Parameter	Description	Presence⁹	Type	Reserved Values
available	The amount of memory available.	Optional	memory-type-description	
maximum	The maximum amount of memory.	Optional	memory-type-description	

148

149 **3.1.10 Memory Type Description**

150 This type of object represents the description that can be used to define the amount, unit, and usage type of some memory.

151

152

Frame Ontology	memory-type-description Fipa-Device			
Parameter	Description	Presence¹⁰	Type	Reserved Values
amount	The amount of memory. This value must not be negative.	Optional	Integer	
unit	The unit used to express the amount of memory.	Optional	String	B KB MB
usage-type	The usage type of the memory. Either application, storage, or both.	Optional	Set of String	application storage

153

154

⁸ While all of these parameters are optional, a valid `user-interface` object will contain at least one parameter.

⁹ While all of these parameters are optional, a valid `memory-description` object will contain at least one parameter.

¹⁰ While all of these parameters are optional, a valid `user-interface` object will contain at least one parameter.

155 **3.1.11 Software Properties Description**

156 This type of object represents the description that can be used to define the software capabilities of a given device.

157

Frame Ontology	sw-description Fipa-Device			
Parameter	Description	Presence¹¹	Type	Reserved Values
os	Details of the operating system that the device has.	Optional	Set of info-description	
agent-platform	Description of the agent platform the device in question has. Can be used only if agent-compliance of device level is either true or unspecified.	Optional	Set of ap-description ¹²	

158

159

160

¹¹ While all of these parameters are optional, a valid `sw-properties` object will contain at least one parameter.

¹² The frame for `ap-description` is found in [FIPA00023].

4 References

160

161

162

[CC/PP] Composite Capabilities / Preference Profiles.

163

<http://www.w3.org/Mobile/CCPP/>

164

[FIPA00014] FIPA Nomadic Application Support Specification. Foundation for Intelligent Physical Agents, 2000.

165

<http://www.fipa.org/specs/fipa00014/>

166

[FIPA00023] FIPA Agent Management Specification. Foundation for Intelligent Physical Agents, 2000.

167

<http://www.fipa.org/specs/fipa00023/>

168

[UAProf] User Agent Profile Specification. Wireless Application Protocol Forum Ltd., 1999.

169

<http://www.wapforum.org/>

170

171

171 5 Informative Annex A — Profile of a Hypothetical Smart Phone

172 5.1 Profile Description

173 This section describes a profile that represents the hypothetical smart phone. The validation of this profile is based on
174 the `Fipa-Devices` ontology.

175
176 The following terms are used to describe the objects of the domain:

177
178 **Profile.** This is the mandatory name of this entity that must be used to represent each instance of this class.

179
180 **Ontology.** This is the name of the ontology, whose domain of discourse includes the parameters described in the
181 table.

182
183 **Parameter.** This is the mandatory name of a parameter of this profile.

184
185 **Value.** This is the value given to a parameter.
186

186 **5.1.1 SmartPhone xyz**
 187 Here the profile of the hypothetical SmartPhone xyz is presented.
 188

Profile Ontology		fipa.profiles.device.smartphonexyz Fipa-Device			
Parameter			Value		
info-description	name		SmartPhone		
	vendor		Smartphones Ltd.		
	version		xyz		
type			mobile-phone PDA GPS		
agent-compliance			true		
hw-description	connection-description	info-description	name	Bluetooth	
			version	x.x	
	connection-description	info-description	name	Infrared Data Association	
			version	y.y	
	connection-description	info-description	name	High Speed Circuit Switched Data	
			version	z.z	
	ui-description	screen-description	width		500
			height		800
			unit		mm
		resolution-description	width		1024
			height		768
			unit		pixels
			bpp		32
				graphics	true
				color	true
audio-input				true	
audio-output				true	
memory-description	memory-type-description	amount	8		
		unit	MB		
		usage-type	storage		
	memory-type-description	amount	3856		
		usage-type	storage		
cpu			64-bit ARM9-based RISC		
sw-description	info-description		name	SmartOS abc	
			vendor	ABCVendor Corp.	
			version	8.1	
	agent-platform ¹³		name	FIPA-OS v2.1.1	
			dynamic	true	
			mobility	true	

189 The values on the rightmost column can change at any time. For example, if extra memory is inserted to the device or if
 190 another version of operating system is installed, the values for those parameters change. The parameters themselves,
 191 however, are more static. They stay the same despite the changes in single device profiles, since they are defined in
 192 the Fipa-Device ontology that is independent of them.
 193

194
 195 The values for parameters can be further divided into static and dynamic depending on the ability to change them in
 196 runtime. For example agent-compliance and memory-type-description describing the memory available can change

¹³ The ontology against which this parameter is validated is found in [FIPA00023].


197 without booting the device. Hence they are dynamic information. On the other hand, screen-description and CPU are
198 static information; they cannot change while the machine is running.

199

6 Informative Annex B — Examples

Annex B presents examples and use cases for device profiles based on the device ontology. The term agent is used to depict any software entity capable of reasoning over the profile, and the term DF or Directory Facilitator is used to depict a general directory service.

6.1 Content Adaptation I



Agent A1 sends its device profile to DF and registers to the system. Agent B1 interacts with agent A1 residing on device A. Agent B1 queries A's device profile either from the DF or directly from device A. Agent B1, which aims to send an image (640x480x24bits) to the user, analyses the device profile user interface capabilities:

hw-description	ui-description	screen-description	width		2.26
			height		3.02
			unit		inch
			resolution-description	width	320
				height	240
				unit	pixels
			bpp		4
			color		false
audio-input		true			
audio-output		true			

sw-description	supported-mime-types	text/html image/gif image/wbmp text/ascii
----------------	----------------------	--

The device operating system (or browser) is capable of handling ascii text, html and also supports the image/gif and image/wbmp mime-types. The agent reads from the device profile that the target device has a greyscale display and reduces the colours of the image to 4 greyscales (dithering), because it is not reasonable to send large images with excess unusable bits. The image size is reduced from 640x480 to 320x240 to fit the device's small screen.

In order to adapt the dialogue between agents, the dialogue service needs knowledge about the human-agent interface, especially information about the input and output capabilities of devices. For instance, if the user is using pen based input or touch-screen, the service may rely more on image maps to trigger actions, and if the user is interacting with keyboard, the service might use more text based input.

Now the same example is presented in more detail and using FIPA ACL. However, mime-type treatment is excluded.

239 1. The agent residing at a mobile device named *dummy* (A1 in the picture above) registers with the DF:

```

240
241 (request
242   :sender
243     (agent-identifier
244       :name dummy@foo.com :addresses (sequence iiop://foo.com/acc))
245   :receiver (set
246     (agent-identifier
247       :name df@foo.com :addresses (sequence iiop://foo.com/acc)))
248   :language FIPA-SL0
249   :protocol FIPA-Request
250   :ontology FIPA-Agent-Management
251   :content
252     (action
253       (agent-identifier
254         :name df@foo.com :addresses (sequence iiop://foo.com/acc))
255       (register
256         (df-agent-description
257           :name
258             (agent-identifier
259               :name dummy@foo.com
260               :addresses (sequence iiop://foo.com/acc))
261           :protocol (set FIPA-Request FIPA-Query)
262           :ontology (set FIPA-Device)
263           :language (set FIPA-SL0 KIF)
264           :services (set
265             (service-description
266               :name device
267               :type device-stuff
268               :ontology (set FIPA-Device))))))))))
269

```

270 2. Then, the agent *velmu* (B1 in the picture above) searches with the DF for a list of agents that support FIPA-Device ontology:

```

271
272 (request
273   :sender
274     (agent-identifier
275       :name dummy@helluli.com
276       :addresses (sequence iiop://helluli.com/acc))
277   :receiver (set
278     (agent-identifier
279       :name df@foo.com
280       :addresses (sequence iiop://foo.com/acc)))
281   :language FIPA-SL0
282   :protocol FIPA-Request
283   :ontology FIPA-Agent-Management
284   :content
285     (action
286       (agent-identifier
287         :name df@foo.com
288         :addresses (sequence iiop://foo.com/acc))
289       (search
290         (df-agent-description
291           :ontology (set FIPA-Device)
292           :language (set FIPA-SL0))
293         (search-constraint :min-depth 2))))))
294
295

```

296 3. VelmU gets an answer, that dummy at foo.com supports FIPA-Device ontology:

```

297 (inform
298   :sender
299     (agent-identifier
300       :name df@foo.com
301

```

```

302         :addresses (sequence iiop://foo.com/acc))
303 :receiver (set
304   (agent-identifier
305     :name velmu@foo.com
306     :addresses (sequence iiop://foo.com/acc)))
307 :language FIPA-SL0
308 :protocol FIPA-Request
309 :ontology FIPA-Agent-Management
310 :content
311   (result
312     (action
313       (agent-identifier
314         :name df@foo.com
315         :addresses (sequence iiop://foo.com/acc))
316       (search
317         (df-agent-description
318           :ontology (set FIPA-Device)
319           :language (set FIPA-SL0))
320         (search-constraint :min-depth 2))))))
321 (set
322   (df-agent-description
323     :name
324       (agent-identifier
325         :name dummy@foo.com
326         :addresses (sequence iiop://foo.com/acc))
327       :ontology (set FIPA-Device)
328       :languages (set FIPA-SL0 KIF)
329       :protocol (set FIPA-Request FIPA-Query)
330       :services (set
331         (service-description
332           :name device
333           :type device-stuff
334           :ontology (set FIPA-Device))))))))))
335

```

4. Velmu aims to send an image (640x480x24bit) to the device where dummy is located: Velmu queries the dummy in order to find out the capabilities of device in which dummy is located:

```

339 (query-ref
340   :sender
341     (agent-identifier
342       :name velmu@foo.com
343       :addresses (sequence iiop://helluli.com/acc))
344   :receiver (set
345     (agent-identifier
346       :name dummy@foo.com
347       :addresses (sequence iiop://foo.com/acc)))
348   :language FIPA-SL0
349   :protocol FIPA-Query
350   :ontology FIPA-Device
351   :content
352     (iota ?x (FIPA-Device :hw-description ?x)))
353

```

5. Dummy sends appropriate information:

```

356 (inform
357   :sender
358     (agent-identifier
359       :name dummy@foo.com
360       :addresses (sequence iiop://foo.com/acc))
361   :receiver (set
362     (agent-identifier
363       :name velmu@foo.com
364       :addresses (sequence iiop://helluli.com/acc)))

```

```


365 :language FIPA-SL0
366 :protocol FIPA-Query
367 :ontology FIPA-Device
368 :content
369 (= (iota ?x (FIPA-Device :hw-description ?x))
370 (hw-description
371 :cpu "i286"
372 :ui (set
373 (ui-description
374 :screen
375 (screen-description
376 :width 57
377 :height 78
378 :unit mm
379 :color false
380 :resolution (set
381 (resolution-description
382 :width 320
383 :height 240
384 :unit pixels
385 :bpp 4
386 :graphics true))
387 :audio-input true
388 :audio-output true))))))
389

```

390 *Velmu* analyses the information, and finds out that the target device has a greyscale display and reduces the colours of
391 the image to four greyscales (dithering), because it is not reasonable to send large images with excess unusable bits.
392 Furthermore, the image size is reduced from 640x480 to 320x240 to fit the device's screen.

393

6.2 Content Adaptation II




A new client logs in to an agent service domain providing tourism services. The service provision agent receives the device profile from the device software system accessing the agent-based services using ACL. The provision agent first stores the profile into a local cache (for example, CC/PP caching) and then checks the services available for this particular type of client. The device profile indicates that the device is part of an agent platform, which makes it eligible to access directly all the agent based services, depending on whether or not it hosts or is capable of hosting the correct interface agents or layers. The agent on the device may contact the service agents directly and send the device profile for adaptation.

type				PDA GPS
agent-compliance				true
hw- description	connection- description	info-description	name	GPRS
			version	x.x
	memory- description	memory-type- description	amount	8000
			unit	KB
		memory-type- description	amount	4000
			unit	KB
sw- description	agent-platform		usage-type	application
			name	FIPA-OS v2.0
			dynamic	false
		mobility	false	

However, the client profile does not specify any streaming codecs in the sw-description frame that the services support, so the provision agent excludes all streaming services from the service list when the client requests it.

6.3 Content Adaptation III



Another client is not capable of hosting an agent platform or being a part of an existing platform, but hosts browser software that supports html content with streaming audio. The specific output capabilities of the browser are extracted from the sw-description extension fields.

The client contacts the provision agent through a proxy that, using some proprietary format, accepts the device profile. Now, the provision agent has to exclude those services that cannot be accessed using proxies that mediate between non-agent and agent based resources.

6.4 Service Advertisement and Software Updates

The Provision agent may detect that a new service, which is compatible with a new XYZ Communicator, has become available. The new product is based on Java Midlet technology, and supports the downloading of new software (jar-files). Now, when clients using the XYZ device log into the system, they are displayed (if their user profile allows it) information about the new service. The system checks the sw-description frame extension fields for Java environment and the device name and version from the info-description frame.

info-description	name	XYZ Communicator
	vendor	Smartphones Ltd.
	version	xyz

sw-description	java-env	configuration	CLDC-1.0
		profile	MIDP-1.0
		locale	en-US
	supported-mime-types	text/vnd.sun.j2me.app-descriptor	

7 Informative Annex C — Usage of FIPA Device Ontology through CC/PP

A technology called CC/PP (Composite Capabilities/Preference Profiles) is developed in W3C [CC/PP]. The frames in this specification received some of their concepts from CC/PP specifications. There are however differences, and this is mainly due to the different goals of FIPA and W3C.

For example, in CC/PP the ontology is divided into three following categories at the highest level: Terminal Hardware, Terminal Software and Terminal Browser. Of these only Terminal Hardware and Terminal Software were adopted here. Terminal Browser was left out because FIPA is not as focused to www as W3C is. On the other hand, in this specification there is a parameter called agent-compliance that is not found in CC/PP specifications [CC/PP]. The value of agent-compliance parameter informs whether the device in question is capable of hosting one or more FIPA agents or not.

Despite the differences between the approaches the FIPA-device ontology could be used in a CC/PP profile. This can be accomplished in a similar fashion as with UAProf (See [CC/PP]). So, if a developer wants to inform that some device is fipa-compliant he can do so with CC/PP profile as follows:

```

468 <RDF xmlns="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
469     xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
470     xmlns:ccpp="http://www.w3.org/2000/07/04-ccpp#"
471     xmlns:fipa="http://www.fipa.org/profiles/device-20010202#">
472     xmlns:uaprof="http://www.wapforum.org/UAPROF/ccppschem-19991014#">
473
474     <Description about="http://www.foo.com/profiles/ProfileX">
475         <ccpp:component>
476             <Description about="http://www.foo.com/TerminalHardware">
477                 <type resource="http://www.foo.com/Schema#HardwarePlatform" />
478                 <ccpp:Defaults rdf:resource="http://www.foo.com/profiles/hwproperties" />
479                 <fipa:compliance>true</fipa:compliance>
480             </Description>
481         </ccpp:component>
482
483         <ccpp:component>
484             <Description about="http://www.foo.com/TerminalSoftware">
485                 <type resource="http://www.foo.com/Schema#SoftwarePlatform" />
486                 <ccpp:Defaults rdf:resource="http://www.foo.com/profiles/swproperties" />
487                 <fipa:ap-description>FIPA-OS v2.1.1</fipa:ap-description>
488             </Description>
489         </ccpp:component>
490
491         <ccpp:component>
492             <Description about="http://www.foo.com/Browser">
493                 <type resource="http://www.foo.com/Schema#BrowserUA" />
494                 <ccpp:Defaults rdf:resource="http://www.foo.com/profiles/browserproperties" />
495                 <uaprof:BrowserName>Internet Explorer</uaprof:BrowserName>
496                 <uaprof:BrowserVersion>5.0</uaprof:BrowserVersion>
497             </Description>
498         </ccpp:component>
499     </Description>
500 </RDF>

```

Here the fipa-namespace is used to refer that the device characterized in ProfileX is FIPA-compliant and that the agent platform it has is the same FIPA-OS v2.1.1 used earlier as an example. Other CC/PP –defined properties are (supposedly) found in the URI's declared in rdf:resource attributes of the ccpp:Defaults elements. Agent compliance seems to be the property that most clearly distinguishes the ontology and profiles presented in this paper from the comparable ones defined in W3C and Wapforum.

The namespace declaration in the 4th row defines a URI that should contain a CC/PP schema (<http://www.fipa.org/profiles/device-20010202#>). The schema in that location corresponds to the

510 ontology presented in this paper, but in CC/PP terms. More specifically, there are specified only those elements that are
511 not found in CC/PP schema itself. FIPA Agent-compliance is naturally an example of these.